# Author Index


AALBERSE R. *see* CZARNETZKI B.M.
ABRAHAM G.N. *see* GREENSTEIN J.L.
ADA G. L. *see* MAK N.K.
ADAMS R.A., SMITH L. & PICKERING P.E.C. The incidence of monoclonal proteins during 7 years of screening in a District General Hospital, 451
ADLER W.H. *see* SAXENA Q.B.
ADLER W.H. *see* SAXENA R.K.
AHLSTEDT S. *see* ENANDER I.
AIME N., HAQUE A., BONNEL B., TORPIER G. & CAPRON A. Neutrophil-mediated killing of *Dipetalonema viteae* microfilariae: simultaneous presence of IgE, IgG antibodies and complement is required, 585
AKBAR A.N. & JONES D.B. Suppression of the mixed lymphocyte reaction by alloantigen-primed and -stimulated human spleen lymphocytes, 361
ALI N.M.H. *see* PRITCHARD D.I.
ALLEN J.R. *see* NITHIUTHAI S.
ÅMAN P., GORDON J. & KLEIN G. TPA (12-O-tetradecanoylphorbol-13-acetate) activation and differentiation of human peripheral B lymphocytes, 27
ANSTEE D.J. *see* MERRY A.H.
ASHERSON G.L. *see* COLIZZI V.
ATLAS A. *see* GODFREY H.P.

BARFOOT R. *see* DENHAM S.
BEELEN R.H.J. & WALKER W.S. Exocytosis and macrophage-mediated antibody-dependent cellular cytotoxicity: a cautionary note, 535
BEFUS A.D. *see* EGWANG T.G.
BEHNKE J.M. *see* PRITCHARD D.I.
BENNER R. *see* VAN OUDENAREN A.
BENSA J-C. *see* HAMILTON A.O.
BERGER M. & CROSS A.S. Lymphoblastoid cell supernatants increases expression of C3b receptors on human polymorphonuclear leucocytes: direct binding studies with $^{125}$I-C3b, 431
BIASI G. *see* ZANOVELLO P.
BIDAWID S. *see* HERBERT A.G.
BOLTZ-NITULESCU G., ORTEL B., RIEDL M. & FÖRSTER O. Ganglioside receptor of rat macrophages. Modulation by enzyme treatment and evidence for its protein nature, 177
BONNEL B. *see* AIME N.
BOORSMA D.M. *see* VAN ROOIJEN N.
BRADLEY L. *see* MALLEY A.
BREMM K.D. *see* BROM J.
BRENNER M.K., NORTH M.E., CHADDA H.R. & FARRANT J. Non-specific factor enhancement of human *in vitro* antigen-dependent antibody synthesis: role of B cell activation and T cell help, 783
BROM J., RAULF M., STÜNING M., SPUR B., CREA A., BREMM K.D. & KÖNIG W. Subcellular localization of enzymes involved in leukotriene formation with human polymorphonuclear granulocytes, 571
BROOKS B.O. *see* WASSOM D.L.
BROOKS W.H. *see* CROSS R.J.
BURGER R., SCHER I., SHARROW S.O. & SHEVACH E.M. Non-activated guinea-pig T cells and thymocytes express Ia antigens: FACS analysis with alloantibodies and monoclonal antibodies, 93
BUYS J., WEVER R. & RUITENBERG E.J. Myeloperoxidase is more efficient than eosinophil peroxidase in the *in vitro* killing of newborn larvae of *Trichinella spiralis*, 601
BYERS V.S. *see* DUNN I.S.

CAPRON A. *see* AIME N.
CARTER B.G. *see* WEI B.-Y.
CASTAGNOLI N. *see* DUNN I.S.
CHADDA H.R. *see* BRENNER M.K.
CHEERS C. & WOOD P. Listeriosis in beige mice and their heterozygous littermates, 711
CHERESH D.A., HAYNES D.H. & DISTASIO J.A. Interaction of an acute phase reactant, $\alpha_1$-acid glycoprotein (orosomucoid), with the lymphoid cell surface: a model for non-specific immune suppression, 541
CHIECO-BIANCHI L. *see* Zanovello P.
COLIZZI V., FERLUGA J., GARREAU F., MALKOVSKY M. & ASHERSON G.L. Suppressor cells induced by BCG release non-specific factors *in vitro* which inhibit DNA synthesis and interleukin-2 production, 65
COLIZZI V. *see* SALERNO A.
COLLAVO D. *see* ZANOVELLO P.
COLONNA ROMANO G. *see* SALERNO A.
COOKE A. & HUTCHINGS P. Defective regulation of erythrocyte autoantibodies in SJL mice, 489
COSIO F. *see* GENIN C.
CREA A. *see* BROM J.
CROSS A.S. *see* BERGER M.
CROSS R.J., MARKESBERY W.R., BROOKS W.H. & ROSZMAN T.L. Hypothalamic-immune interactions: neuromodulation of natural killer activity by lesioning of the anterior hypothalamus, 399
CURLING E.M.A. & DRESSER D.W. Allotype suppression in an adoptive transfer system in adult mice: the specificity and feedback effects of a monoclonal IgG3 anti-(Igh-1$^b$) allotype antibody, 511
CURTIS J. *see* MATHEW R.C.
CZARNETZKI B.M., FIGDOR C.G., KOLDE, G. VROOM T., AALBERSE R. & DE VRIES J.E. Development of human connective tissue mast cells from purified blood monocytes, 549

DAVID C.S. *see* WASSOM D.L.
DE HAAN P. *see* VAN ROOIJEN N.
DE ROSSI A. *see* ZANOVELLO P.

DE VRIES J.E. *see* CZARNETZKI B.M.
DE WECK A.L. *see* KINGS M.
DENHAM S., SPENCER J., BARFOOT R. & HALL J.G. IgA antibodies in the bile of rats. IV. Synthesis of secretory antibodies in irradiated rats reconstituted with spleen cells: influence of microenvironment of the regulation of IgA production, 45
DEVIS S. *see* WONG P.Y.
DIELI F. *see* SALERNO A.
DISTASIO J.A. *see* CHERESH D.A.
DRESSER D.W. *see* CURLING E.M.A.
DUNN I.S., LIBERATO D.J., CASTAGNOLI N. & BYERS V.S. Induction of suppressor T cells for lymph node cell proliferation after contact sensitization of mice with a poison oak urushiol component, 773

EGWANG T.G. & BEFUS A.D. The role of complement in the induction and regulation of immune responses, 207
ENANDER I., AHLSTEDT S. & NYGREN H. Mononuclear cells, mast cells and mucous cells as part of the delayed hypersensitivity response to aerosolized antigen in mice, 661
ENDO R. *see* MATSUMURA K.
ERB K. *see* HOLMSKOV-NIELSEN U.
ESHHAR Z. *see* PARHAMI-SEREN B.
EYQUEN A. *see* ZOUALI M.

FARRANT J. *see* BRENNER M.K.
FAUCI A.S. *see* HENDERSON W.R.
FERLUGA J. *see* COLIZZI V.
FERRANTE A. & SMYTH C. Mitogenicity of *Naegleria fowleri* extract for murine T lymphocytes, 461
FIGDOR C.G. *see* CZARNETZKI B.M.
FLEMING W.A., STEWART-TULL D.E.S., MCCLURE S. & MCKEE A.M. Cellular responsiveness *in vitro*: the effect of mycobacterial glycopeptides, glycolipids and peptidoglycolipids on the *in vitro* growth of haemopoietic colony-forming cells, 555
FÖRSTER O. *see* BOLTZ-NITULESCU G.
FUJIWARA M. & KARIYONE A. Induction of immunoglobulin-secreting cells by 2-mercaptoethanol in *in vitro* culture of B cells from autoimmune mice, 801
FUKUOKA Y., SEINO J., OKUDA T. & TACHIBANA T. Purification of the fourth, second and fifth components of mouse complement, 493

GARREAU F. *see* COLIZZI V.
GENIN C., COSIO F. & MICHAEL A.F. Macromolecular charge and reticuloendothelial function: comparison between the kinetics of administered native and cationized ferritins and the corresponding immune complexes in the mouse, 225
GLYNN A.A. *see* HADFIELD S.G.
GODFREY H.P., ATLAS A., RANDAZZO B. & ANGADI C.V. Regulation of macrophage agglutination factor production by $\alpha_2$-macroglobulin, 503
GORDON J. *see* AMAN P.
GREENSTEIN J.L., SOLOMON A. & ABRAHAM G.N. Monoclonal antibodies reactive with idiotypic and variable-region specific determinants on human immunoglobulins, 17

HAAIJMAN J.J. *see* VAN OUDENAREN A.
HADFIELD S.G. & GLYNN A.A. Application of immuno-blotting to the differentiation of specific antibodies in gonorrhoea, 615
HAIG D.M., JARRETT E.E.E. & TAS J. *In vitro* studies on mast cell proliferation in *N. brasiliensis* infection, 643
HALL J.G. *see* DENHAM S.
HAMILTON A.O., MORRISON L., KILPATRICK W.S., LAPPIN D., BENSA J-C., RICHES D.W.H. & WHALEY K. Role of C3 in the control of monocyte C2 production, 169
HAQUE A. *see* AIME N.
HARITA S., SHIMOKAWA Y., MIBU Y., ISHIDA M. & HAYASHI H. Lymphocyte chemotaxis in inflammation. IX. Further characterization of lymphocyte chemotactic lymphokines produced by purified protein derivative stimulation *in vitro* and *in vivo*, 295
HARITA S. *see* SHIMOKAWA Y.
HARLEY J.B. *see* HENDERSON W.R.
HASTON W. *see* SHIELDS J.M.
HAUCK-BAUER R. *see* PINDER M.
HAWRYLOWICZ C.M. & KLAUS G.G.B. Effects of tumour promoter phorbol myristate acetate on mouse lymphocytes: selective inhibition of B cell activation by mitogens and antigens, 327
HAYASHI H. *see* HARITA S.
HAYASHI H. *see* HIRASHIMA M.
HAYASHI H. *see* SHIMOKAWA Y.
HAYNES D.H. *see* CHERESH D.A.
HENDERSON W.R., HARLEY J.B. & FAUCI A.S. Arachidonic acid metabolism in normal and hypereosinophilic syndrome human eosinophils: generation of leukotrienes $B_4$, $C_4$, $D_4$ and 15-lipoxygenase products, 679
HERBERT A.G., LE GROS G.S., BIDAWID S. & WATSON J.D. *In vivo* modulation of thymus-derived lymphocytes with monoclonal antibodies in mice. III. Spontaneous and natural cytotoxic effector cells, 377
HERBERT A.G. *see* LE GROS G.S.
HILL D.J. *see* MCCASKILL A.C.
HIRASHIMA M., TASHIRO K. & HAYASHI H. The regulation of tissue eosinophilia. I. Coexistence of eosinophil chemotactic factor and inhibitor in allergic skin lesions of Freund's complete adjuvant-treated guinea-pigs, 441
HIRSCH W. *see* PINDER M.
HOLÁŇ V. & MITCHISON N.A. Allospecific suppression without requirement for participation of Ly $2^+$ cells, 469
HOLFORD-STEVENS V. *see* WEI B.-Y.
HOLMSKOV-NIELSEN U., JENSENIUS J.C., ERB K. & HUSBY S. Immune complex formation analysed by high-performance size exclusion chromatography (HPLC-SEC) using $^{125}$I-labelled antigen or enzyme-linked immunosorbent assay (ELISA) for detection, 809
HOSKING C.S. *see* MCCASKILL A.C.
HOSONO M., KATSURA Y. & MURAMATSU S. Ontogeny of antigen-presenting activity of haptenized cells in mice: early development of syngeneic T cell-stimulatory cells in thymus, 161
HURME M. *see* SIRVOLA M.
HUSBY S. *see* HOLMSKOV-NIELSEN U.
HUTCHINGS P. *see* COOKE A.

ISHIDA M. *see* HARITA S.

ISHII Y., MATSUURA A., IWAKI H., TAKAMI T. & KIKUCHI K. Two closely related antigens expressed on granulocytes, macrophages and some reticular elements in rat lymphoid tissues: characterization by monoclonal antibodies, 477
IWAKI H. *see* ISHII Y.

JACOBSEN C. & STEENSGAARD J. Binding properties of monoclonal anti-IgG antibodies: analysis of binding curves in monoclonal antibody systems, 423
JARRETT E.E.E. *see* HAIG D.M.
JEFFERIS R. *see* ZOUALI M.
JENSENIUS J.C. *see* HOLMSKOV-NIELSEN U.
JONES D.B. *see* AKBAR A.N.
JULIANO R.L. *see* MEHTA K.

KARIYONE A. *see* FUJIWARA M.
KATSURA Y. *see* HOSONO M.
KAZUTA Y. *see* MATSUMURA K.
KEELER K.D. *see* MACKENZIE N.M.
KEELER K.D. *see* THOMAS D.B.
KENNY G. *see* SULLIVAN C.P.
KIKUCHI K. *see* ISHII Y.
KILPATRICK W.S. *see* HAMILTON A.O.
KING S.J. & MILLER H.R.P. Anaphylactic release of mucosal mast cell protease and its relationship to gut permeability in *Nippostrongylus*-primed rats, 653
KINGS M., NYDEGGER U.E. & DE WECK A.L. Control of immune complex and zymosan-mediated anaphylatoxin generation by proteins B and H of the alternative complement pathway, 123
KITAMURA H., NISHIMUKAI H., SANO Y. & NAGAKI K. Study on C3-like factor in the serum of a C3-deficient subject, 239
KLAUS G.G.B. *see* HAWRYLOWICZ C.M.
KLEIN G. *see* ÅMAN P.
KNIGHT K.L. *see* LOBEL S.A.
KOLDE G. *see* CZARNETZKI B.M.
KÖNIG W. *see* BROM J.
KORS N. *see* VAN ROOIJEN N.
KRCO C.J. *see* WASSOM D.L.

LACHMANN P.J. *see* SIA D.Y.
LAPPIN D. *see* HAMILTON A.O.
LE GROS G.S., HERBERT A.G. & WATSON J.D. *In vivo* modulation of thymus-derived lymphocytes with monoclonal antibodies in mice. II. Separation of natural killer cells and cytotoxic T cells, 103
LE GROS G.S. *see* HERBERT A.G.
LEUNG K.N. *see* SIA D.Y.
LEVY J.G. *see* SINGHAI R.
LIBEAU G. *see* PINDER M.
LIBERATO D.J. *see* DUNN I.S.
LOBEL S.A. & KNIGHT K.L. The role of rabbit Ia molecules in immune functions as determined with the use of an anti-Ia monoclonal antibody, 35
LOPEZ-BERESTEIN G. *see* MEHTA K.

MCCASKILL A.C., HOSKING C.S. & HILL D.J. Anaphylaxis following intranasal challenge of mice sensitized with ovalbumin, 669
MCCLURE S. *see* FLEMING W.A.
MCKEE A.M. *see* FLEMING W.A.
MCKENZIE I.F.S. *see* WONG P.Y.
MACKENZIE N.M. & KEELER K.D. A flow microfluorimetric analysis of the binding of immunoglobulins to Fcγ receptors on brush borders of the neonatal mouse jejunal epithelium, 529
MAK N.K., SWEET C., ADA G.L. & TANNOCK G.A. The sensitization of mice with a wild-type and cold-adapted variant of influenza A virus. II. Secondary cytotoxic T cell responses, 407
MALKOVSKY M. *see* COLIZZI V.
MALLEY A., BRADLEY L. & SHIIGI S. Preparation and characterization of a monoclonal anti-T helper factor antibody, 765
MANDEL D. *see* ORESKES I.
MANDEL T.E. *see* PHIPPS R.P.
MARCELIS J.H. *see* VANDENBROUCKE-GRAULS C.M.J.E.
MARKESBERY W.R. *see* CROSS R.J.
MATHEW R.C., CURTIS J. & TURK J.L. T cell proliferation in *mycobacterium lepraemurium* infection. I. Lack of correlation between antigen-specific proliferation of Lyt $1^+23^-$ cells and resistance in lethal infections, 185
MATHEW R.C., CURTIS J. & TURK J.L. T cell proliferation in *Mycobacterium lepraemurium* infection. II. Characterization of cells that transfer resistance in subcutaneously infected mice, 703
MATSUMURA K., KAZUTA Y., ENDO R. & TANAKA K. Detection of circulating toxocaral antigens in dogs by sandwich enzyme-immunoassay, 609
MATSUURA A. *see* ISHII Y.
MEHTA K., JULIANO R.L. & LOPEZ-BERESTEIN G. Stimulation of macrophage protease secretion via liposomal delivery of muramyl dipeptide derivatives to intracellular sites, 517
MERRY A.H., THOMSON E.E., ANSTEE D.J. & STRATTON F. The quantification of erythrocyte antigen sites with monoclonal antibodies, 793
MIBU Y. *see* HARITA S.
MIBU Y. *see* SHIMOKAWA Y.
MICHAEL A.F. *see* GENIN C.
MILLER H.R.P. *see* KING S.J.
MITCHISON N.A. *see* HOLÁŇ V.
MITCHISON N.A. *see* VAKHARIA D.D.
MOORE T.C. The modulation by prostaglandins of increases in lymphocyte traffic induced by bradykinin, 455
MORRISON L. *see* HAMILTON A.O.
MOZES E. *see* PARHAMI-SEREN B.
MUNRO A.J. *see* ROONEY C.M.
MURAMATSU S. *see* HOSONO M.

NAGAKI K. *see* KITAMURA H.
NISHIMUKAI H. *see* KITAMURA H.
NITHIUTHAI S. & ALLEN J.R. Significant changes in epidermal Langerhans cells of guinea-pigs infected with ticks (*Dermacentor andersoni*), 133
NITHITHAI S. & ALLEN J.R. Effects of ultraviolet irradiation on epidermal Langerhans cells in guinea-pigs, 143
NITHIUTHAI S. & ALLEN J.R. Effects of ultraviolet irradiation on the acquisition and expression of tick resistance in guinea-pigs, 153
NORTH M.E. *see* BRENNER M.K.
NYDEGGER U.E. *see* KINGS M.
NYGREN H. *see* ENANDER I.

OKUDA T. *see* FUKUOKA Y.
OLOFSSON T. *see* WINQVIST I.

OLSSON I. *see* WINQVIST I.
ORESKES I. & MANDEL D. Reactivity of sized thermal aggregates of immunoglobulin G with IgM rheumatoid factor, 115
*ORTEL B. see* BOLT-NITULESCU G.
OSMOND D.G. & OWEN J.J.T. Pre-B cells in bone marrow: size distribution profile, proliferative capacity and peanut agglutinin binding of cytoplasmic $\mu$ chain-bearing cell populations in normal and regenerating bone marrow, 333
OWEN J.J.T. *see* OSMOND D.G.
OZAKI Y. *see* TAKAHASHI M.

PANG T. *see* WONG P.Y.
PARHAMI-SEREN B., ESHHAR Z. & MOZES E. Serological analysis of idiotypic determinants on monoclonal antibodies specific to poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly(Lys), 367
PHIPPS R.P., MANDEL T.E. SCHNIZLEIN C.T. & TEW J.G. Anamnestic responses induced by antigen persisting on follicular dendritic cells from cyclophosphamide-treated mice, 387
*PICKERING P.E.C. see ADAMS R.A.*
PINDER M., LIBEAU G., HIRSCH W., TAMBOURA I., HAUCK-BAUER R. & ROELANTS G.E. Anti-trypanosome specific immune responses in bovids of differing susceptibility to African trypanosomiasis, 247
*PRITCHARD D.I., ALI N.M.H. & BEHNKE J.M. Analysis of the* mechanism of immunodepression following heterologous antigenic stimulation during concurrent infection with *Nematospiroides dubius*, 633
PRITCHARD D.I., BEHNKE J.M. & WILLIAMS D.J.L. Primary infection sera and IgG1 do not block host-protective immunity to *Nematospirodies dubius*, 73

RANDAZZO B. *see* GODFREY H.P.
RAULF M. *see* BROM J.
*RICHES D.W.H. see HAMILTON A.O.*
RIEDL M. *see* BOLTZ-NITULESCU G.
ROELANTS G.E. *see* PINDER M.
RONCHESE F. *see* ZANOVELLO P.
ROONEY C.M. & MUNRO A.J. NK cells can recognize asialylated autologous lymphocytes and ABO-mismatched lymphocytes, 193
ROSZMAN T.L. *see* CROSS R.J.
*ROUSE B.T. & WAGNER H. Frequency of herpes simplex* virus-specific cytotoxic T lymphocyte precursors in lymph node cells of infected mice, 57
RUITENBERG E.J. *see* BUYS J.
RUMJANEK V.M. *see* SMITH L.A.
*RUTHERFORD B. see SCHENKEIN H.A.*

SALERNO A., COLONNA ROMANO G., DIELI F. & COLIZZI V. Analysis of the T suppressor cell circuit which regulates contact sensitivity in mice infected with the virus of Newcastle disease, 305
SANO Y. *see* KITAMURA H.
SAXENA Q.B., SAXENA R.K. & ADLER W.H. Effect of protein calorie malnutrition on the levels of natural and inducible cytotoxic activities in mouse spleen cells, 727
SAXENA Q.B. *see* SAXENA R.K.
SAXENA R.K., SAXENA Q.B. & ADLER W.H. Interleukin-2-induced activation of natural killer activity in spleen cells from old and young mice, 719
SAXENA R.K. *see* SAXENA Q.B.
*SCHENKEIN H.A. & RUTHERFORD B. C3-mediated release of* prostaglandin from human monocytes. Behaviour in short-term culture, 83
*SCHER I. see BURGER R.*
SCHNIZLEIN C.T. *see* PHIPPS R.P.
SEHON A.H. *see* WEI B.-Y.
SEINO J. *see* FUKUOKA Y.
SHARMA S.D. *see* VANDENBROUCKE-GRAULS C.M.J.E.
*SHARROW S.O. see BURGER R.*
SHEVACH E.M. *see* BURGER R.
SHIELDS J.M., HASTON WENDY & WILKINSON P.C. Invasion of collagen gels by mouse lymphod cells, 259
SHIIGI S. *see* MALLEY A.
*SHIMOKAWA Y., HARITA S. & HAYASHI H. Lymphocyte* chemotaxis in inflammation. VII. Isolation and purification of chemotactic factors for T lymphocytes from PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig, 275
SHIMOKAWA Y., HARITA S., MIBU Y. & HAYASHI H. Lymphocyte chemotaxis in inflammation. VIII. Demonstration of lymphocyte chemotactic lymphokines in PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig, 287
SHIMOKAWA Y. *see* HARITA S.
SIA, D.Y., LACHMANN P.J. & LEUNG K.N. Studies in the enhancement of tumour immunity by coupling strong antigens to tumour cells ('heterogenization of tumours'). Helper T cell clones against PPD help other T cells mount anti-tumour responses to PPD-coupled tumour cells, 755
SIHVOLA M. & HURME M. Defective repertoire of proliferative T cells during lymphatic regeneration, 313
*SIKORA L. see SINGHAI R.*
SINGHAI R., WEAVER M., SIKORA L. & LEVY J.G. Evidence for the presence of idiotype-bearing regulatory T cells in which idiotype expression does not show linkage to either Igh alleles or the MHC, 743
*SMITH L. see ADAMS R.A.*
SMITH L.A. & RUMJANEK V.M. Transfer of protection against allergic encephalomyelitis from mother to offspring, 201
SMYTH C. *see* FERRANTE A.
SOLOMON A. *see* GREENSTEIN J.L.
SPENCER J. *see* DENHAM S.
SPUR B. *see* BROM J.
STEENSGAARD J. *see* JACOBSEN C.
*STEWART-TULL D.E.S. see FLEMING W.A.*
STRATTON F. *see* MERRY A.H.
STÜNING M. *see* BROM J.
SULLIVAN C.P., KENNY G. & WALDMANN H. The role of the major histocompatibility complex in *in-vitro* antibody responses: MHC restriction in responses involving linked recognition of antigenic determinants is not solely consequent to T cell–accessory cell restrictions, 351
*SULLIVAN C.P. & WALDMANN H. T cell help mechanisms in* the *in vitro* antibody response: the role of linked and non-linked recognition interactions, 343
SWEET C. *see* MAK N.K.

TACHIBANA T. *see* FUKUOKA Y.

TAKAHASHI M., USHIJIMA T. & OZAKI Y. Biological activity of *Pityrosporum*. I. Enhancement of resistance in mice stimulated by *Pityrosporum* against *Salmonella typhimurium*, 697

*TAKAMI T. see ISHII Y.*

TAMBOURA I. *see* PINDER M.

TANAKA K. *see* MATSUMURA K.

*TANNOCK G.A. see MAK N.K.*

TAS J. *see* HAIG D.M.

TASHIRO K. *see* HIRASHIMA M.

TEW J.G. *see* PHIPPS R.P.

THIJSSEN R.M.W.M. *see* VANDENBROUCKE-GRAULS C.M.J.E.

*THOMAS D.B. & KEELER K.D. Flip-flop in the Lyt 2* phenotype of T cells from radiation chimaeras between Thy 1 congenic donor and recipient mice, 563

THOMSON E.E. *see* MERRY A.H.

TORPIER G. *see* AIME N.

*TURK J.L. see MATHEW R.C.*

USHIJIMA T. *see* TAKAHASHI M.

VAKHARIA D.D. & MITCHISON N.A. Helper T cell activity demonstrated by thymic nurse T cells (TNC-T), 269

VAN NIEUWMEGEN R. *see* VAN ROOIJEN N.

VAN OUDENAREN A., HAAIJMAN J.J. & BENNER R. Frequencies of background cytoplasmic. Ig-containing cells in various lymphoid organs of athymic and euthymic mice as a function of age and immune status, 735

VAN ROOIJEN N., KORS N., BOORSMA D.M., DE HAAN P. & VAN NIEUWMEGEN R. Double immunocytochemical staining in the study of antibody-producing cells *in vivo*. Simultaneous detection of anti-hapten and anti-carrier antibody-producing cells in lymphoid tissue, 417

VANDENBROUCKE-GRAULS C.M.J.E., THIJSSEN R.M.W.M., MARCELIS J.H., SHARMA S.D. & VERHOEF J. Effects of lysosomotropic amines on human polymorphonuclear leucocyte function, 319

VERHOEF J. *see* VANDENBROUCKE-GRAULS C.M.J.E.

VROOM T. *see* CZARNETZKI B.M.

WAGNER H. *see* ROUSE B.T.

WAKELIN D. *see* WASSOM D.L.

*WALDMANN H. see SULLIVAN C.P.*

WALKER W.S. *see* BEELEN R.H.J.

WASSOM D.L., WAKELIN D., BROOKS B.O., KRCO C.J. & DAVID C.S. Genetic control of immunity to *Trichinella spiralis* infections of mice. Hypothesis to explain the role of *H-2 genes in primary and challenge infections*, 625

WATSON J.D. *see* HERBERT A.G.

WATSON J.D. *see* LE GROS G.S.

*WEAVER M. see SINGHAI R.*

WEI B.-Y., HOLFORD-STREVENS V., CARTER B.G. & SEHON A.H. Suppression of the anti-trimellityl (TM) IgE response in mice by conjugates of TM with polyvinylalcohol, 687

WEVER R. *see* BUYS J.

*WHALEY K. see HAMILTON A.O.*

WILKINSON P.C. *see* SHIELDS J.M.

WILLIAMS D.J.L. *see* PRITCHARD D.I.

WINQVIST I., OLOFSSON T. & OLSSON I. Mechanisms for eosinophil degranulation; release of the eosinophil cationic protein, 1

WONG P.Y., DEVI S., MCKENZIE I.F.C., YAP K.L. & PANG T. Induction and Ly phenotype of suppressor T cells in mice during primary infection with dengue virus, 51

WOOD P. *see* CHEERS C.

YAP K.L. *see* WONG P.Y.

*ZANOVELLO P., COLLAVO D., RONCHESE F., DE ROSSI A., BIASI* G. & CHIECO-BIANCHI L. Virus-specific T cell response prevents lymphoma development in mice infected by intrathymic inoculation of Moloney leukaemia virus (M-MuLV), 9

*ZOUALI M., JEFFERIS R. & EYQUEM A.* IgG subclass distribution of autoantibodies to DNA and to nuclear ribonucleoproteins in autoimmune diseases, 595

# Subject Index


ABO-mismatched lymphocytes and asialylated autologous lymphocytes recognized by NK cells, 193

*Adoptive transfer system in adult mice, allotype suppression* in an: the specificity and feedback effects of a monoclonal IgG3 anti-(Igh-$1^b$) allotype antibody, 511

*Aerosolized antigen, mononuclear cells, mast cells and* mucous cells as part of the delayed hypersensitivity response in mice to, 601

African trypanosomiasis, anti-trypanosome specific immune responses in bovids of differing susceptibility to, 247

*Agglutination factor (macrophage) production regulated by* $\alpha_2$-macroglobulin, 503

Allergic encephalomyelitis, transfer of protection against, from mother to offspring, 201

Alloantibodies and monoclonal antibodies, FACS analysis *with: non-activated guinea-pig T cells and thymocytes* express Ia antigens, 93

Alloantigen-primed and -stimulated human spleen lymphocytes, suppression of the mixed lymphocyte reaction by, 361

Allospecific suppression without requirement for participation of Ly $2^+$ cells, 469

Allotype suppression in an adoptive transfer system in adult *mice: the specificity and feedback effects of a monoclonal* IgG3 anti-(Igh-$1^b$) allotype antibody, 511

$\alpha_1$-acid glycoprotein (orosomucoid), interaction of an acute phase reactant, with the lymphoid cell surface: a model for non-specific immune suppression, 541

*$\alpha_2$-macroglobulin regulates macrophage agglutination factor* production, 503

Alternative complement pathway, control of immune complex and zymosan-mediated anaphylatoxin generation by proteins B and H of the, 123

*Amines, effects of lysosomotropic, on human polymor*phonuclear leucocyte function, 319

Anamnestic responses induced by antigen persisting on follicular dendritic cells from cyclophosphamide-treated mice, 387

Anaphylatoxin generation by proteins B and H of the alternative complement pathway, control of immune complex and zymosan-mediated, 123

Anaphylaxis following intranasal challenge of mice sensitized with ovalbumin, 669

Anti-trimellityl (TM) IgE response in mice, suppression of the, by conjugates of TM with polyvinylalcohol, 687

Antibody-dependent cellular cytotoxicity (macrophage-mediated) and exocytosis: a cautionary note, 535

Antibody-producing cells *in vivo*, double immunocytochemical staining in the study of. Simultaneous detection of anti-hapten and anti-carrier antibody-producing cells in lymphoid tissue, 417

Antibody response (*in vitro*), T cell help mechanisms in the: the role of linked and non-linked recognition interactions, 343

Antibody responses (*in vitro*), the role of the major histocompatibility complex in; MHC restriction in responses involving linked recognition of antigenic determinants is not solely consequent to T cell–accessory cell restrictions, 351

Antigen-dependent antibody synthesis (human *in vitro*), non-specific factor enhancement of: role of B cell activation and T cell help, 783

Antigen persisting on follicular dendritic cells from cyclophosphamide-treated mice, anamnestic responses induced by, 387

*Antigen-presenting activity of haptenized cells in mice,* ontogeny of: early development of syngeneic T cell-stimulatory cells in thymus, 161

Antigen-specific proliferation of Lyt $1^+23^-$ cells, and resistance in lethal infections, lack of correlation between. T cell *proliferation in Mycobacterium lepraemurium* infection, 185

Antigens and mitogens, selective inhibition of B cell activation by: effects of tumour promoter phorbol myristate acetate on mouse lymphocytes, 327

Arachidonic acid metabolism in normal and hypereosinophilic syndrome human eosinophils: generation of leukotrienes $B_4$, $C_4$, $D_4$ and 15-lipoxygenase products, 679

*Asialylated autologous lymphocytes and ABO-mismatched* lymphocytes recognized by NK cells, 193

Autoantibodies (erythrocyte) in SJL mice, defective regulation of, 489

B cell activation, selective inhibition of, by mitogens and antigens: effects of tumour promoter phorbol myristate acetate on mouse lymphocytes, 327

B lymphocytes (human peripheral), TPA (12-O-Tetradecanoyl-phorbol-13-acetate) activation and differentiation of, 27

BCG-induced suppressor cells release non-specific factors *in vitro* which inhibit DNA synthesis and interleukin-2 production, 65

Bile of rats. IgA antibodies in the. IV. Synthesis of secretory antibodies in irradiated rats reconstituted with spleen cells: influence of microenvironment on the regulation of IgA production, 45

Binding properties of monoclonal anti-IgG antibodies: analysis of binding curves in monoclonal antibody systems, 423

Bone marrow, pre-B cells in: size distribution profile, proliferative capacity and peanut agglutinin binding of cytoplasmic $\mu$ chain-bearing cell populations in normal and regenerating bone marrow, 333

Bovids of differing susceptibility to African trypanosomiasis, anti-trypanosome specific immune responses in, 247

Bradykinin, the modulation by prostaglandins of increases in lymphocyte traffic induced by, 455

Brush borders of the neonatal mouse jejunal epithelium, a

flow microfluorimetric analysis of the binding of immunoglobulins to Fcγ receptors on, 529

C2 production, role of C3 in the control of monocyte, 169
C3-like factor in the serum of a C3-deficient subject, study on, 239
C3-mediated release of prostaglandin from human monocytes. Behaviour in short-term culture, 83
C3, role of, in the control of monocyte C2 production, 169
C3b receptors on human polymorphonuclear leucocytes, lymphoblastoid cell supernatants increase expression of: direct binding studies with $^{125}$I-C3b, 431
Carrier and hapten, simultaneous detection of cells in lymphoid tissue producing antibodies against. Double immunocytochemical staining in the study of antibody-producing cells *in vivo*, 417
Chemotaxis (lymphocyte) in inflammation, VII–IX, 275, 287, 295
Collagen gels, invasion of, by mouse lymphoid cells, 259
Complement (mouse), purification of the fourth, second and fifth components of, 493
Complement, the role of, in the induction and regulation of immune responses, 207
Contact sensitivity in mice infected with the virus of Newcastle disease, analysis of the T suppressor cell circuit which regulates, 305
Cyclophosphamide-treated mice, anamnestic responses induced by antigen persisting on follicular dendritic cells from, 387
Cytoplasmic Ig-containing cells (background), frequencies of, in various lymphoid organs of athymic and euthymic mice as a function of age and immune status, 735
Cytotoxic effector cells, spontaneous and natural. *In vivo* modulation of thymus-derived lymphocytes with monoclonal antibodies in mice, III, 377
Cytotoxic T cell responses, secondary. The sensitization of mice with a wild-type and cold-adapted variant of influenza A virus, II, 407
Cytotoxic T cells and natural killer cells, separation of. *In-vivo* modulation of thymus-derived lymphocytes with monoclonal antibodies in mice, II, 103
Cytotoxic T lymphocyte precursors specific for herpes simplex virus, frequency of, in lymph node cells of infected mice, 57

Delayed hypersensitivity response to aerosolized antigen in mice, mononuclear cells, mast cells and mucous cells as part of the, 661
Delayed hypersensitivity skin reaction site in the guinea-pig, demonstration of lymphocyte chemotactic lymphokines in PPD-induced. Lymphocyte chemotaxis in inflammation, VIII, 287
Delayed hypersensitivity skin reaction site in the guinea-pig, isolation and purification of chemotactic factors for T lymphocytes from PPD-induced. Lymphocyte chemotaxis in inflammation, VII, 275
Dengue virus, induction and Ly phenotype of suppressor T cells in mice during primary infection with, 51
Determinants on human immunoglobulins, monoclonal antibodies reactive with idiotypic and variable-region specific, 17
DNA synthesis and interleukin-2 production, suppressor cells induced by BCG release non-specific factors *in vitro* which inhibit, 65

Encephalomyelitis (allergic), transfer of protection against, from mother to offspring, 201
Enzyme treatment, modulation by, and evidence for its protein nature. Ganglioside receptor of rat macrophages, 177
Eosinophil chemotactic factor and inhibitor, coexistence of, in allergic skin lesions of Freund's complete adjuvant-treated guinea-pigs. The regulation of tissue eosinophilia, I, 441
Eosinophil degranulation, mechanisms for; release of the eosinophil cationic protein, I
Epidermal Langerhans cells in guinea-pigs, effects of ultraviolet irradiation on, 143
Epidermal Langerhans cells of guinea-pigs infested with ticks (*Dermacentor andersoni*), significant changes in, 133
Erythrocyte antigen sites, the quantification of, with monoclonal antibodies, 793
Erythrocyte autoantibodies in SJL mice, defective regulation of, 489
Exocytosis and macrophage-mediated antibody-dependent cellular cytotoxicity: a cautionary note, 535

Fcγ receptors on brush borders of the neonatal mouse jejunal epithelium, a flow microfluorimetric analysis of the binding of immunoglobulins to, 529
Ferritins, comparison between the kinetics of administered native and cationized, and the corresponding immune complexes in the mouse: macromolecular charge and reticuloendothelial function, 225
Follicular dendritic cells from cyclophosphamide-treated mice, anamnestic responses induced by antigen persisting on, 387
Freund's complete adjuvant-treated guinea-pigs, coexistence of eosinophil chemotactic factor and inhibitor in allergic skin lesions of. The regulation of tissue eosinophilia, I, 441

Ganglioside receptor of rat macrophages. Modulation by enzyme treatment and evidence for its protein nature, 177
Genetic control of immunity to *Trichinella spiralis* infections of mice. Hypothesis to explain the role of H-2 genes in primary and challenge infections, 625
Glycopeptides, glycolipids and peptidoglycolipids, the effect of mycobacterial, on the *in vitro* growth of haemopoietic colony-forming cells: cellular responsiveness *in vitro*, 555
Gonorrhoea, application of immuno-blotting to the differentiation of specific antibodies in, 615
Granulocytes, macrophages and some reticular elements in rat lymphoid tissues, two closely related antigens expressed on: characterization by monoclonal antibodies, 477

H-2 genes in primary and challenge infections, hypothesis to explain the role of. Genetic control of immunity to *Trichinella spiralis* infections of mice, 625
Hapten and carrier, simultaneous detection of cells in lymphoid tissue producing antibodies against. Double immunocytochemical staining in the study of antibody-producing cells *in vivo*, 417
Haptenized cells in mice, ontogeny of antigen-presenting

activity of: early development of syngeneic T cell-stimulatory cells in thymus, 161
Helper T cell activity demonstrated by thymic nurse T cells (TNC-T), 269
Herpes simplex virus-specific cytotoxic T lymphocyte precursors, frequency of, in lymph node cells of infected mice, 57
High-performance size exclusion chromatography (HPLC-SEC) using either $^{125}$I-labelled antigen or enzyme-linked immunosorbent assay (ELISA) for detection, immune complex formation analysed by, 809
Hypothalamic–immune interactions: neuromodulation of natural killer activity by lesioning of the anterior hypothalamus, 399

Ia antigens, non-act expressed by non-activated guinea-pig T cells and thymocytes: FACS analysis with alloantibodies and monoclonal antibodies, 93
Ia molecules (rabbit), the role of, in immune functions as determined with the use of an anti-Ia monoclonal antibody, 35
Idiotype-bearing regulatory T cells, evidence for the presence of, in which idiotype expression does not show linkage to either Igh alleles or the MHC, 743
Idiotypic determinants on monoclonal antibodies specific to poly (Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly)Lys), serological analysis of, 367
IgA antibodies in the bile of rats. IV. Synthesis of secretory antibodies in irradiated rats reconstituted with spleen cells: influence of microenvironment on the regulation of IgA production, 45
IgG, reactivity of sized thermal aggregates of, with IgM rheumatoid factor, 115
IgG subclass distribution of autoantibodies to DNA and to ribonucleoproteins in autoimmune diseases, 595
IgG1 and primary infection sera do not block host-protective immunity to *Nematospiroides dubius*, 73
IgG3 anti-(Igh-1$^b$) allotype monoclonal antibody, the specificity and feedback effects of an: allotype suppression in an adoptive transfer system in adult mice, 511
IgM rheumatoid factor, reactivity of sized thermal aggregates of immunoglobulin G with, 115
Immune responses, the role of complement in the induction and regulation of, 207
Immunodepression, analysis of the mechanism of, following heterologous antigenic stimulation during concurrent infection with *Nematospiroides dubius*, 633
Immunoglobulins, a flow microfluorimetric analysis of the binding of, to Fcγ receptors on brush borders of the neonatal mouse jejunal epithelium, 529
Immunoglobulins (human), monoclonal antibodies reactive with idiotypic and variable-region specific determinants on, 17
Influenza A virus, the sensitization of mice with a wild-type and cold-adapted variant of. II. Secondary cytotoxic T cell responses, 407
Interleukin-2-induced activation of natural killer activity in spleen cells from old and young mice, 719
Interleukin-2 production and DNA synthesis, suppressor cells induced by BCG release non-specific factors *in vitro* which inhibit, 65
Irradiated rats reconstituted with spleen cells, synthesis of secretory antibodies in: influence of microenvironment on the regulation of IgA production. IgA antibodies in the bile of rats, IV, 45

Jejunal epithelium (neonatal mouse), a flow microfluorimetric analysis of the binding of immunoglobulins to Fcγ receptors on brush borders of the, 529

Langerhans cells (epidermal) in guinea-pigs, effects of ultraviolet irradiation on, 143
Langerhans cells (epidermal) of guinea-pigs infested with ticks (*Dermacentor andersoni*), significant changes in, 133
Leucocyte (human polymorphonuclear) function, effects of lysosomotropic amines on, 319
Leucocytes (human polymorphonuclear), lymphoblastoid cell supernatants increase expression of C3b receptors on: direct binding studies with $^{125}$I-C3b, 431
Leukotriene formation within human polymorphonuclear granulocytes, subcellular localization of enzymes involved in, 571
Linked and non-linked recognition interactions, the role of: T cell help mechanisms in the *in vitro* antibody response, 343
Linked recognition of antigenic determinants, MHC restriction in responses involving, is not solely consequent to T cell–accessory cell restrictions; the role of the major histocompatability complex in *in vitro* antibody responses, 351
Liposomal delivery of muramyl dipeptide derivatives to intracellular sites stimulates macrophage protease secretion, 517
Listeriosis in beige mice and their heterozygous littermates, 711
Ly 2$^+$ cells, allospecific suppression without requirement for participation of, 469
Ly phenotype and induction of suppressor T cells in mice during primary infection with dengue virus, 51
Lymph node cell proliferation, induction of suppressor T cells, after contact sensitization of mice with a poison oak urushiol component, 773
Lymph node cells of infected mice, frequency of herpes simplex virus-specific cytotoxic T lymphocyte precursors in, 57
Lymphatic regeneration, defective repertoire of proliferative T cells during, 313
Lymphoblastoid cell supernatants increase expression of C3b receptors on human polymorphonuclear leucocytes: direct binding studies with $^{125}$I-C3b, 431
Lymphocyte chemotaxis in inflammation, VII–IX, 275, 287, 295
Lymphocyte traffic induced by bradykinin, the modulation by prostaglandins of increases in, 455
Lymphocytes, asialylated autologous, and ABO-mismatched lymphocytes recognized by NK cells, 193
Lymphoid cells (mouse), invasion of collagen gels by, 259
Lymphoid tissues (rat), two closely related antigens expressed on granulocytes, macrophages and some reticular elements in: characterization by monoclonal antibodies, 477
Lymphokines, demonstration of lymphocyte chemotactic, in PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig. Lymphocyte chemotaxis in inflammation, VIII, 287

Lymphokines produced by purified protein derivative stimulation *in vitro* and *in vivo*, further characterization of lymphocyte chemotactic. Lymphocyte chemotaxis in inflammation, IX, 295
Lysosomotropic amines, effects of, on human polymorphonuclear leucocyte function, 319
Lyt $1^+23^-$ cells, lack of correlation between antigen-specific proliferation of, and resistance in lethal infections. T cell proliferation in *mycobacterium lepraemurium* infection, I, 185
Lyt 2 phenotype of T cells, flip-flop in the, from radiation chimaeras between Thy 1 congenic donor and recipient mice, 563

Macromolecular charge and reticuloendothelial function: comparison between the kinetics of administered native and cationized ferritins and the corresponding immune complexes in the mouse, 225
Macrophage agglutination factor production regulated by $\alpha_2$-macroglobulin, 503
Macrophage-mediated antibody-dependent cellular cytotoxicity and exocytosis: a cautionary note, 535
Macrophage protease secretion, stimulation of, via liposomal delivery of muramyl dipeptide derivatives to intracellular sites, 517
Macrophages, granulocytes and some reticular elements in rat lymphoid tissues, two closely related antigens expressed on: characterization by monoclonal antibodies, 477
Macrophages (rat), ganglioside receptor of. Modulation by enzyme treatment and evidence for its protein nature, 177
Major histocompatibility complex, in the role of the, in *in vitro* antibody responses; MHC restriction in responses involving linked recognition of antigenic determinants is not solely consequent to T cell–accessory cell restrictions, 351
Mast cell proliferation in *N. brasiliensis* infection, *in vitro* studies on, 643
Mast cell protease (mucosal), anaphylactic release of, and its relationship to gut permeability in *Nippostrongylus*-primed rats, 653
Mast cells, development of connective tissue, from purified blood monocytes, 549
Mast cells, mononuclear cells and mucous cells as part of the delayed hypersensitivity response to aerosolized antigen in mice, 661
2-Mercaptoethanol, induction of immunoglobulin-secreting cells by, in *in vitro* culture of B cells from autoimmune mice, 801
Mitogenicity of *Naegleria fowleri* extract for murine T lymphocytes, 461
Mitogens and antigens, selective inhibition of B cell activation by: effects of tumour promoter phorbol myristate acetate on mouse lymphocytes, 327
Mixed lymphocyte reaction, suppression of the, by alloantigen-primed and -stimulated human spleen lymphocytes, 361
Moloney leukaemia virus (M-MuLV), virus-specific T cell response prevents lymphoma development in mice infected by intrathymic inoculation of, 9
Monoclonal anti-IgG antibodies, binding properties of: analysis of binding curves in monoclonal antibody systems, 423
Monoclonal anti-T helper factor antibody, preparation and characterization of a, 765
Monoclonal antibodies and alloantibodies, FACS analysis with: non-activated guinea-pig T cells and thymocytes express Ia antigens, 93
Monoclonal antibodies characterize two closely related antigens expressed on granulocytes, macrophages and some reticular elements in rat lymphoid tissues, 477
Monoclonal antibodies in mice, *in vivo* modulation of thymus-derived lymphocytes with. II. Separation of natural killer cells and cytotoxic T cells, 103
Monoclonal antibodies in mice, *in vivo* modulation of thymus-derived lymphocytes with. III. Spontaneous and natural cytotoxic effector cells, 377
Monoclonal antibodies reactive with idiotypic and variable-region specific determinants on human immunoglobulins, 17
Monoclonal antibodies specific to poly(Tyr,Glu)-poly (DLA-la)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLA1a)--poly(Lys), serological analysis of idiotypic determinants on, 367
Monoclonal IgG3 anti(Igh-$1^b$) allotype antibody, the specificity and feedback effects of a: allotype suppression in an adoptive transfer system in adult mice, 511
Monoclonal antibody, the role of rabbit Ia molecules in immune functions as determined with the use of an anti-Ia, 35
Monoclonal proteins, the incidence of, during 7 years of screening in a District General Hospital, 451
Monocyte C2 production, role of C3 in the control of, 169
Monocytes (human), C3-mediated release of prostaglandin from. Behaviour in short-term culture, 83
Mononuclear cells, mast cells and mucous cells as part of the delayed hypersensitivity response to aerosolized antigen in mice, 661
$\mu$ chain (cytoplasmic)-bearing cell populations in normal and regenerating bone marrow, size distribution profile, proliferative capacity and peanut agglutinin binding of: pre-B cells in bone marrow, 333
Mucous cells, mononuclear cells and mast cells as part of the delayed hypersensitivity response to aerosolized antigen in mice, 661
Muramyl dipeptide derivatives delivered by liposomes to intracellular sites stimulates macrophage protease secretion, 517
*Mycobacterium lepraemurium* infection, T cell proliferation in. I. Lack of correlation between antigen-specific proliferation of Lyt $1^+23^-$ cells and resistance in lethal infections, 185
*Mycobacterium lepraemurium* infection, T cell proliferation in. II. Characterization of cells that transfer resistance in subcutaneously infected mice, 703
Myeloperoxidase is more efficient than oesinophil peroxidase in the in vitro killing of newborn larvae of *Trichinella spiralis*, 601

*Naegleria fowleri* extract, mitogenicity of, for murine T lymphocytes, 461
Natural killer cells and cytotoxic T cells, separation of. *In-vivo* modulation of thymus-derived lymphocytes with monoclonal antibodies in mice, II, 103

Natural killer activity, neuromodulation of, by lesioning of the anterior hypothalamus: hypothalamic–immune interactions, 399
*Nematospiroides dubius*, primary infection sera and IgG1 do not block host-protective immunity to, 73
Neuromodulation of natural killer activity by lesioning of the anterior hypothalamus: hypothalmic–immune interactions, 399
Neutrophil-mediated killing of *Dipetalonema viteae* microfilariae: simultaneous presence of IgE, IgG antibodies and complement is required, 585
Newcastle disease, analysis of the T suppressor cell circuit which regulates contact sensitivity in mice infected with the virus of, 305
NK cells can recognize asialylated autologous lymphocytes and ABO-mismatched lymphocytes, 193

Offspring, transfer of protection against allergic encephalomyelitis from mother to, 201

Peanut agglutinin binding, size distribution profile and proliferative capacity of cytoplasmic $\mu$ chain-bearing cell populations in normal and regenerating bone marrow: pre-B cells in bone marrow, 333
Phorbol myristate acetate, effects of tumour promoter, on mouse lymphocytes: selective inhibition of B cell activation by mitogens and antigens, 327
*Pityrosporum*, biological activity of. I. Enhancement of resistance in mice stimulated by *Pityrosporum* against *Salmonella typhimurium*, 697
Poison oak urushiol component, induction of suppressor T cells for lymph node cell proliferation after contact sensitization of mice with a, 773
Polymorphonuclear leucocyte function (human), effects of lysosomotropic amines on, 319
Polymorphonuclear leucocytes (human), lymphoblastoid cell supernatants increase expression of C3b receptors on: direct binding studies with $^{125}$I-C3b, 431
Poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly(Lys), serological analysis of idiotypic determinants on monoclonal antibodies specific to, 367
PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig, demonstration of lymphocyte chemotactic lymphokines in. Lymphocyte chemotaxis in inflammation, VIII, 287
PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig, isolation and purification of chemotactic factors for T lymphocytes from. Lymphocyte chemotaxis in inflammation, VII, 275
Pre-B cells in bone marrow: size distribution profile, proliferative capacity and peanut agglutinin binding of cytoplasmic $\mu$ chain-bearing cell populations in normal and regenerating bone marrow, 333
Primary infection sera and IgG1 do not block host-protective immunity to *Nematospiroides dubius*, 73
Proliferative T cells, defective repertoire of, during lymphatic regeneration, 313
Prostaglandin from human monocytes, C3-mediated release of. Behaviour in short-term culture, 83
Prostaglandins, the modulation by, of increases in lymphocyte traffic induced by bradykinin, 455
Protein calorie malnutrition, effect of, on the levels of natural and inducible cytotoxic activities in mouse spleen cells, 727
Protein nature, modulation by enzyme treatment and evidence for its. Ganglioside receptor of rat macrophages, 177
Proteins B and H of the alternative complement pathway, control of immune complex and zymosan-mediated anaphylatoxin generation by, 123
Purified protein derivative stimulation *in vitro* and *in vivo*, further characterization of lymphocyte chemotactic lymphokines produced by. Lymphocyte chemotaxis in inflammation, IX, 295

Recognition interactions, the role of linked and non-linked: T cell help mechanisms in the *in vitro* antibody response, 343
Reticuloendothelial function, macromolecular charge and: comparison between the kinetics of administered native and cationized ferritins and the corresponding immune complexes in the mouse, 225
Rheumatoid factor (IgM), reactivity of sized thermal aggregates of immunoglobulin G with, 115

Screening in a District General Hospital, the incidence of monoclonal proteins during 7 years of, 451
SJL mice, defective regulation of erythrocyte autoantibodies in, 489
Skin lesions (allergic) of Freund's complete adjuvant-treated guinea-pigs, coexistence of eosinophil chemotactic factor and inhibitor in. The regulation of tissue eosinophilia, I, 441
Spleen cells, synthesis of secretory antibodies in irradiated rats reconstituted with: influence of microenvironment on the regulation of IgA production. IgA antibodies in the bile of rats, IV, 45
Spleen lymphocytes (human), suppression of the mixed lymphocyte reaction by alloantigen-primed and -stimulated, 361
Staining (double immunocytochemical) in the study of antibody-producing cells *in vivo*. Simultaneous detection of anti-hapten and anti-carrier antibody-producing cells in lymphoid tissue, 417
Supernatants (lymphoblastoid cell) increase expression of C3b receptors on human polymorphonuclear leucocytes: direct binding studies with $^{125}$I-C3b, 431
Suppressor cells induced by BCG release non-specific factors *in vitro* which inhibit DNA synthesis and interleukin-2 production, 65
Suppressor T cells, induction and Ly phenotype of, in mice during primary infection with dengue virus, 51
Suppressor T cells, induction of, for lymph node cell proliferation after contact sensitization of mice with a poison oak urushiol component, 773

T cell–accessory cell restrictions, MHC restriction in responses involving linked recognition of antigenic determinants is not solely consequent to; the role of the major histocompatibility complex in *in-vitro* antibody responses, 351
T cell help mechanisms in the *in vitro* antibody response: the role of linked and non-linked recognition interactions, 343
T cell proliferation in *mycobacterium lepraemurium* infection. I. Lack of correlation between antigen-specific proliferation of Lyt $1^+23^-$ cells and resistance in lethal infections, 185

T cell response (virus-specific) prevents lymphoma development in mice infected by intrathymic inoculation of Moloney leukaemia virus (M-MuLV), 9
T cell responses, secondary cytotoxic. The sensitization of mice with a wild-type and cold-adapted variant of influenza A virus, II, 407
T cell-stimulatory cells in thymus, early development of syngeneic: ontogeny of antigen-presenting activity of haptenized cells in mice, 161
T cells and thymocytes, non-activated guinea-pig, express Ia antigens: FACS analysis with alloantibodies and monoclonal antibodies, 93
T cells (proliferative), defective repertoire of, during lymphatic generation, 313
T Lymphocytes from PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig, isolation and purification of chemotactic factors for. Lymphocyte chemotaxis in inflammation, VII, 275
T lymphocytes (murine), mitogenicity of *Naegleria fowleri* extract for, 461
T suppressor cell circuit which regulates contact sensitivity in mice infected with the virus of Newcastle disease, analysis of the, 305
Thymic nurse T cells (TNC-T), helper T cell activity demonstrated by, 269
Thymus-derived lymphocytes with monoclonal antibodies in mice, *in vivo* modulation of. III. Spontaneous and natural cytotoxic effector cells, 377
Tick resistance in guinea-pigs, effects of ultraviolet irradiation on the acquisition and expression of, 153
Ticks (*Dermacentor andersoni*), significant changes in epidermal Langerhans cells of guinea-pigs infested with, 133
Tissue eosinophilia, the regulation of. I. Coexistence of eosinophil chemotactic factor and inhibitor in allergic skin lesions of Freund's complete adjuvant-treated guinea-pigs, 441
Toxocaral antigens in dogs, detection of circulating, by sandwich enzyme-immunoassay, 609
TPA (12-O-tetradecanoyl-phorbol-13-acetate) activation and differentiation of human peripheral B lymphocytes, 27
*Trichinella spiralis* infections of mice, genetic control of immunity to. Hypothesis to explain the role of H-2 genes in primary and challenge infections, 625
Trypanosomiasis (African), anti-trypanosome specific immune responses in bovids of differing susceptibility to, 247
Tumour immunity, studies in the enhancement of, by coupling strong antigens to tumour cells ('heterogenization of tumours'). Helper T cell clones against PPD help other T cells mount anti-tumour responses to PPD-coupled tumour cells, 755
(Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly(Lys), serological analysis of idiotypic determinants on monoclonal antibodies specific to poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue, 367

Ultraviolet irradiation, effects of, on epidermal Langerhans cells in guinea-pigs, 143
Ultraviolet irradiation, effects of, on the acquisition and expression of tick resistance in guinea-pigs, 153

Virus-specific T cell response prevents lymphoma development in mice infected by intrathymic inoculation of Moloney leukaemic virus (M-MuLV), 9

Zymosan-mediated anaphylatoxin generation by proteins B and H of the alternative complement pathway, control of immune complex and, 123